L	Hits	Search Text	DB	Time stamp
Number				
1	2	("6651191" "6205121" "6611863").pn.and request\$1	USPAT	2004/06/17
2	1	("6741572").pn.and request\$1	USPAT	2004/06/17
3	1	("6741572").pn.and interface\$1	USPAT	2004/06/17
4	1	("6741572").pn.and interface\$3	USPAT	2004/06/17
5	1	("6741572").pn.and interface\$3 and (service adj level or sla)	USPAT	2004/06/17
6	1	("6741572").pn.and path\$1	USPAT	2004/06/17
7	0	("6205121").pn.and polic\$3	USPAT	2004/06/17
8	0	"200060809"	USPAT; US-PGPUB	2004/06/17
9	1	("6611863").pn.and polic\$3	USPAT	2004/06/17
10	0	("6205121 6651191 6741572 6611863").pn.and secur\$3 with path\$1	USPAT	11:42 2004/06/17
11	125	reserv\$3 with secur\$3 with path\$1	USPAT	11:43 2004/06/17 11:43
12	5	reserv\$3 with secur\$3 with path\$1.ab.	USPAT	2004/06/17 11:43
13	0	709/22\$1.ccls. and reserv\$3 with secur\$3 with path\$1	USPAT	2004/06/17
14	150	709/22\$1.ccls. and secur\$3 with path\$1	USPAT	2004/06/17
15	12	709/22\$1.ccls. and secur\$3 adj path\$1	USPAT	2004/06/17
16	1	709/22\$1.ccls. and allocat\$3 with secur\$3 adj path\$1	USPAT	2004/06/17
-	19136	network with configurat\$3	USPAT	2004/06/10
-	91	optimal with network with configurat\$3	USPAT	2004/06/10 11:19
-	0	<pre>feedback near15 optimal with network with configurat\$3</pre>	USPAT	2004/06/10
-	233	feedback near15 network with configurat\$3	USPAT	2004/06/10
_	0	feedback near15 network with configurat\$3 near15 traffic	USPAT	2004/06/10
-	455	network with configurat\$3 near15 traffic	USPAT	2004/06/10
-	2228	network with configurat\$3 with manag\$6	USPAT	2004/06/10
-	550	network with configurat\$3 with manag\$6 and different with protocol\$1	USPAT	2004/06/10
_	5	optimal with network with configurat\$3.ab.	USPAT	2004/06/10
-	0	close\$loop with network with configurat\$3.ab.	USPAT	2004/06/10 11:18
-	0	closeloop with network with configurat\$3.ab.	USPAT	2004/06/10
-	0	close with loop with network with configurat\$3.ab.	USPAT	2004/06/10
_	107	real with time near15 network with configurat\$3	USPAT	2004/06/10
_	3094	control\$4 near15 network with configurat\$3	USPAT	2004/06/10
_	1149	configurat\$3 with network with element\$1	USPAT	2004/06/10
-	1	configurat\$3 with network with element\$1 near15 different with protocol\$1	USPAT	2004/06/10
-	146	configurat\$3 with network with element\$1 and different with protocol\$1	USPAT	2004/06/10
-	6	configurat\$3 with network with element\$1 and convert\$3 near15 different with	USPAT	2004/06/10
		protocol\$1		

-	15	network with configurat\$3 with manag\$6 and convert\$3 with different with	USPAT	2004/06/10
-	41108	<pre>protocol\$1 network with configurat\$3 with manag\$6 and convert\$3 with different with</pre>	USPAT	2004/06/10
_	25	protocol\$1 and traffic or topology network with configurat\$3 near15	USPAT	2004/06/10
_	5	traffic.ab. optimal with network with	USPAT	11:25 2004/06/10
_	4	<pre>configurat\$3.ab. network with configurat\$3 with manaq\$6</pre>	USPAT	16:58 2004/06/10
_	13	near15 different with protocol\$1 network with configurat\$3 with manag\$6	USPAT	16:59 2004/06/10
		and convert\$3 with different with protocol\$1 and (traffic or topology)		17:08
_	0	network with configurat\$3 with manag\$6 and convert\$3 with different with	USPAT	2004/06/10 17:07
		protocol\$1 and (traffic or topology)And ospf		2004/06/10
_	0	network with configurat\$3 with manag\$6 and convert\$3 with different with protocol\$1 and ospf	USPAT	2004/06/10 17:07
<b> </b> -	69	configurat\$3 with device\$1 with different with protocol\$1	USPAT	2004/06/10
-	21	configurat\$3 with network with device\$1 with different with protocol\$1	USPAT	2004/06/10 17:15
-	0	configurat\$3 with network with device\$1 with different with protocol\$1.ab.	USPAT	2004/06/10 17:09
_	0	configurat\$3 with network with device\$1 with different with protocol\$1 and ospf	USPAT	2004/06/10
_	0	configurat\$3 with network with device\$1 with different with protocol\$1 and different with vender\$1	USPAT	2004/06/10 17:11
-	4	configurat\$3 with network with device\$1 with different with protocol\$1 and	USPAT	2004/06/10 17:15
_	21	different with manufacturer\$1 configurat\$3 with network with device\$1 with different with protocol\$1	USPAT	2004/06/10
_	0	configurat\$3 with network with device\$1 with different with protocol\$1 not (configurat\$3 with network with device\$1	USPAT	2004/06/10 17:15
_	69	with different with protocol\$1 ) configurat\$3 with device\$1 with different	USPAT	2004/06/10
-	2	with protocol\$1 configurat\$3 with device\$1 with different	USPAT	17:16 2004/06/10
-	48	with protocol\$1.ab. configurat\$3 with device\$1 with different	USPAT	17:15   2004/06/10   17:16
		<pre>with protocol\$1 not (configurat\$3 with network with device\$1 with different with protocol\$1 )</pre>		17.10
_	17	<del> </del>	USPAT	2004/06/10 17:20
		<pre>protocol\$1 ) and different with   (supplier\$1 or vendor\$1 or manufacturer\$1</pre>		
-	0	or maker\$1) reconfigurat\$3 with device\$1 with different with protocol\$1 not	USPAT	2004/06/10
		(configurat\$3 with network with device\$1 with different with protocol\$1 ) and different with (supplier\$1 or vendor\$1 or		
_	1	manufacturer\$1 or maker\$1) reconfigurat\$3 with device\$1 with different with protocol\$1 not	USPAT	2004/06/10 17:21
		(configurat\$3 with network with device\$1 with different with protocol\$1)	uapa m	2004/06/12
-	1	reconfigurat\$3 with device\$1 with different with(protocol\$1 or supplier\$1 or vendor\$1 or manufacturer\$1 or maker\$1)	USPAT	2004/06/10
		not (configurat\$3 with network with device\$1 with different with protocol\$1)		

_	2	("6108781" "6148337").pn.	USPAT	2004/06/11
_	6453	709/22\$1.ccls.	USPAT	2004/06/14
				10:57
_	117	709/22\$1.ccls.and convert\$3 with	USPAT	2004/06/14
_	32	instruction\$1 709/22\$1.ccls.and receiv\$3 near15	USPAT	10:58
	52	convert\$3 with instruction\$1	OSTAT	11:01
-	1	709/22\$1.ccls.and receiv\$3 near15	USPAT	2004/06/14
	3	convert\$3 with instruction\$1.ab. 709/22\$1.ccls.and receiv\$3 near15	USPAT	11:00   2004/06/14
	]	convert\$3 with instruction\$1 and	USPAI	11:05
		different with (vendor\$1 or supplier\$1 or		
		maker\$1 or manufacturer\$1) 709/22\$1.ccls.and convert\$3 with	USPAT	2004/06/14
_	8	instruction\$1 and different with	USPAI	2004/06/14
		(vendor\$1 or supplier\$1 or maker\$1 or		
		manufacturer\$1)		0004/06/14
-	0	709/22\$1.ccls.and convert\$3 with instruction\$1 near15 configur\$6 and	USPAT	2004/06/14 11:06
		different with (vendor\$1 or supplier\$1 or		
	_	maker\$1 or manufacturer\$1)		0004/06/54
-	8	709/22\$1.ccls.and convert\$3 with instruction\$1 near15 configur\$6	USPAT	2004/06/14 11:15
-	214	convert\$3 with instruction\$1 near15	USPAT	2004/06/14
		configur\$6		15:41
-	11	convert\$3 with instruction\$1 near15 configur\$6.ab.	USPAT	2004/06/14
-	11	709/\$3.ccls. and convert\$3 with	USPAT	2004/06/14
		instruction\$1 near15 configur\$6		15:43
-	12	convert\$3 with instruction\$1 near15	USPAT	2004/06/14
		configur\$6 and different with (vendor\$1 or supplier\$1 or maker\$1 or		15:46
		manufacturer\$1)		
_	9		USPAT	2004/06/14
		configur\$6 near15 different with (vendor\$1 or supplier\$1 or maker\$1 or		15:48
		manufacturer\$1)		
-	50		USPAT	2004/06/14
_	172	configur\$6 near15 traffic convert\$3 with instruction\$1 near15	USPAT	16:18 2004/06/14
	1 1,2	(devices or elements) and configur\$6		16:21
-	60471	convert\$3 with instruction\$1 near15	USPAT	2004/06/14
1_	5	devices or elements near15 configur\$6 convert\$3 with instruction\$1 near15	USPAT	16:19 2004/06/14
		(devices or elements) near15 configur\$6	OSTAI	16:20
-	6	convert\$3 with instruction\$1 near15	USPAT	2004/06/14
1_	9	(devices or elements).ab. and configur\$6 709/2\$2.ccls. and convert\$3 with	USPAT	16:21 2004/06/14
		instruction\$1 near15 (devices or	JULIAN	16:27
		elements) and configur\$6		0004/05/2
-	0	709/2\$2.ccls. and convert\$3 with instruction\$1 near15 (devices or	USPAT	2004/06/14
		elements) and configur\$6 near15 traffic\$1		10.22
-	0	709/\$3.ccls. and convert\$3 with	USPAT	2004/06/14
		instruction\$1 near15 (devices or elements)and configur\$6 near15 traffic\$1		16:22
-	1		USPAT	2004/06/14
		(devices or elements) and configur\$6		16:22
1_	ני	near15 traffic\$1	USPAT	2004/06/14
1-	53	convert\$3 with configur\$6 near15 (devices or elements).ab.	USPAI	16:28
-	30	709/2\$2.ccls. and convert\$3 with	USPAT	2004/06/14
	1.0	configur\$6 near15 (devices or elements)	HCDAM	16:29 2004/06/14
_	16	709/22\$1.ccls. and convert\$3 with configur\$6 near15 (devices or elements)	USPAT	16:29
-	0	convert\$3 with configur\$6 near15	USPAT	2004/06/14
		(devices or elements) near15 traffic.ab.		16:35
		not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements)		
		)		

_	0	convert\$3 with configur\$6 near15 (devices or elements)near15 different with (protocol\$1 or manufacturer\$1 or vendor\$1 or supplier\$1 or maker\$1).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements)	USPAT	2004/06/14 16:36
-	52	convert\$3 with configur\$6 near15 (devices or elements).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements)	USPAT	2004/06/14 17:14
	0	709/\$3.ccls. and convert\$3 with configur\$6 near15 (devices or elements).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements)	USPAT	2004/06/14 17:12
_	52	convert\$3 with configur\$6 near15 (devices or elements).ab. not (709/2\$2.ccls. and convert\$3 with configur\$6 near15 (devices or elements) and configur\$6	USPAT	2004/06/14 17:14
-	1		USPAT	2004/06/15
-	171	generat\$3 with configur\$6 with traffic\$1	USPAT	2004/06/15 17:43
-	32	709/22\$1.ccls. and generat\$3 with configur\$6 with traffic\$1	USPAT	2004/06/15 17:44
-	3	709/22\$1.ccls. and generat\$3 with configur\$6 with traffic\$1.ab.	USPAT	2004/06/15
-	22	709/22\$1.ccls. and (reconfigur\$6 or configur\$6) with traffic\$1.ab.	USPAT	2004/06/15
_	19	709/22\$1.ccls. and (reconfigur\$6 or configur\$6) with traffic\$1.ab.not (709/22\$1.ccls. and generat\$3 with	USPAT	2004/06/15 17:51
-	2	configur\$6 with traffic\$1.ab.) 709/22\$1.ccls. and (reconfigur\$6 or configur\$6) with bas\$2 with traffic\$1.ab.not (709/22\$1.ccls. and generat\$3 with configur\$6 with	USPAT	2004/06/15 17:54
-	0	traffic\$1.ab.) (instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with bas\$2 with traffic\$1.ab.	USPAT	2004/06/15 17:55
_	2	(instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with traffic\$1.ab.	USPAT	2004/06/15 17:55
-	118	(instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with traffic\$1	USPAT	2004/06/15 18:04
-	248	dynamic\$6 near15(reconfigur\$6 or configur\$6) with traffic\$1	USPAT	2004/06/15 18:03
-	29	709/22\$1.ccls. and dynamic\$6 near15(reconfigur\$6 or configur\$6) with traffic\$1	USPAT	2004/06/15 18:03
-	27	709/22\$1.ccls. and dynamic\$6 near15(reconfigur\$6 or configur\$6) with traffic\$1 not ((instruct\$3 or command\$3) near15(reconfigur\$6 or configur\$6) with traffic\$1)	USPAT	2004/06/15 18:08
-	4	l i i i i i i i i i i i i i i i i i i i	USPAT	2004/06/16
-	1	l· · · · · ·	USPAT	2004/06/16
-	0	configurat\$3 near15 traffic with demand\$1.ab.	USPAT	2004/06/16 12:57
-	19	configurat\$3 near15 traffic with demand\$1	USPAT	2004/06/16
_	10	configurat\$3 near15 bas\$3 near15 traffic.ab.	USPAT	2004/06/16
_	3	configurat\$3 near15 bas\$3 near15 traffic with demand\$1	USPAT	2004/06/16 12:59

Search History 6/17/04 11:56:34 AM Page 4

				_
-	9	configur\$6 near15 bas\$3 near15 traffic with demand\$1	USPAT	2004/06/16 13:00
_	0	configurat\$3 with (instruction\$1 or command\$1) near15 bas\$3 near15	USPAT	2004/06/16
		traffic.ab.		
_	0	<pre>configur\$6 with (instruction\$1 or command\$1) near15 bas\$3 near15 traffic.ab.</pre>	USPAT	2004/06/16 13:01
-	6	configur\$6 with (instruction\$1 or command\$1) near15 bas\$3 near15 traffic	USPAT	2004/06/16
-	10634	request\$3 near15 configur\$6	USPAT	2004/06/16
-	104	request\$3 near15 configur\$6 near15 traffic	USPAT	2004/06/16
_	1	request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency) and rsvp	USPAT	2004/06/16 14:09
_	0	request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or	USPAT	2004/06/16 13:44
-	0	traffic and request\$3 with (bandwidth or latency) and rsvp and service\$1 with	USPAT	2004/06/16 13:45
-	2	agreement\$1 rsvp-te	USPAT	2004/06/16
_	2	rsvp-te not (request\$3 near15 configur\$6 near15 traffic and request\$3 with (bandwidth or latency))	USPAT	2004/06/16
-	0	rsvp-te not (request\$3 near15 configur\$6 near15 traffic and request\$3 with	USPAT	2004/06/16 13:46
-	38	traffic and request\$3 with (bandwidth or	USPAT	2004/06/16
-	1	latency) 6651191.pn.	USPAT	2004/06/16
-	0	6651191.URPN.	USPAT	2004/06/16
_	12	("4756019"   "5577198"   "5594792"   "5696486"   "5726979"   "5907696"   "6314531"   "6317788"   "6360332"	USPAT	2004/06/16
_	4	"6381604"   "6470464"   "6556659").PN. ("4756019"   "5577198"   "5594792"   "5696486"   "5726979"   "5907696"   "6314531"   "6317788"   "6360332"   "6381604"   "6470464"   "6556659").PN. and polic\$4	USPAT	2004/06/16 13:55
_	0	1	USPAT	2004/06/16 14:00
-	490	test\$3 with polic\$3	USPAT	2004/06/16 14:00
-	1	test\$3 with polic\$3 near15(prior or before) near15 (translat\$3 or convert\$3)	USPAT	2004/06/16
-	2	request\$3	USPAT	2004/06/16
_	2 0	(request\$3 or sla or rsvp)	USPAT	2004/06/16 14:12 2004/06/16
_	0	(rsvp)	USPAT	2004/06/16   14:12   2004/06/16
_	1	sla   ("6611863" "6651191" "6205121").pn. and	USPAT	14:12 2004/06/16
_	111	1 • · · · · · · · · · · · · · · · · · ·	USPAT	14:13 2004/06/16
-	0		USPAT	14:14 2004/06/16 14:14
L		agreement\$1 or sla) near15 rsvp	<del></del>	14.14

Search History 6/17/04 11:56:34 AM Page 5

-	11	request\$3 with (service\$1 with	USPAT	2004/06/16
	_	agreement\$1 or sla) and rsvp and path\$1		14:15
-	0	request\$3 with (service\$1 with	USPAT	2004/06/16
		agreement\$1 or sla) and rsvp and private		14:14
		with path\$1		
_	11	request\$3 with (service\$1 with	USPAT	2004/06/16
		agreement\$1 or sla) and rsvp and path\$1	]	14:15
		and traffic		
-	14	request\$3 with (service\$1 with	USPAT	2004/06/16
		agreement\$1 or sla) and rsvp		14:20
-	14	request\$3 with (service\$1 with	USPAT	2004/06/16
		agreement\$1 or sla) and rsvp and		15:57
		bandwidth		
-	2559	(service\$1 with agreement\$1 or sla)	USPAT	2004/06/16
	_			15:58
-	0	(service\$1 with agreement\$1 or sla)near15	USPAT	2004/06/16
		reserv\$6 with private with path\$1		15:58
-	0	(service\$1 with agreement\$1 or sla)near15	USPAT	2004/06/16
		reserv\$6 with path\$1 and private with		15:59
		path\$1		
-	0	(service\$1 with agreement\$1 or sla)near15	USPAT	2004/06/16
		reserv\$6 with path\$1 and secure with	1	15:59
		path\$1		
-	51	(service\$1 with agreement\$1 or sla)near15	USPAT	2004/06/16
		path\$1		15:59
-	2	(service\$1 with agreement\$1 or sla)near15	USPAT	2004/06/16
		path\$1 and private with path\$1 and		16:00
		addition\$2 with path\$1		2004/05/05
-	6	(service\$1 with agreement\$1 or sla)near15	USPAT	2004/06/16
	_	path\$1 and private with path\$1	II.C.D.D.M.	16:00
_	5	(service\$1 with agreement\$1 or sla)near15	USPAT	2004/06/16
	3.6	reserv\$6 with path\$1	II CD D M	16:03
-	36	<pre>(service\$1 adj level adj agreement\$1 or sla)and reserv\$6 with path\$1</pre>	USPAT	2004/06/16 16:03
l _	0	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
-	١	sla)and reserv\$6 with private with path\$1	USPAI	16:04
l _	0	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
_		sla)and (reserv\$6 or allocat\$3) with	USPAI	16:04
		private with path\$1		1 10.04
_	0	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
	l	sla)and reserv\$6 with path\$1 and private	JULIA	16:04
		adj path\$1		
-	l 0	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
	l	sla) and reserv\$6 with path\$1 and private		16:04
1		with path\$1		-0.0.
_	36	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
		sla) and reserv\$6 with path\$1		16:06
-	12	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
		sla) and reserv\$6 with path\$1 and		16:07
1		addition\$2 with path\$1		
-	0	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
		sla) and reserv\$6 with path\$1 and		16:08
		addition\$2 adj path\$1		
-	36	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
		sla) and reserv\$6 with path\$1 and path\$1		16:09
-	15	(service\$1 adj level adj agreement\$1 or	USPAT	2004/06/16
I	l	sla) and reserv\$6 with paths and path\$1		16:09
	•	• • • • • • • • • • • • • • • • • • •	·	